

NOTES:

① MAT'L: COPPER (STOCK TKN $\frac{.040}{.102}$)


PLATING: WATTS BATH NICKLE (.0002 MIN)

② BRAZED SEAM

③ 650°F MAX. OPERATING TEMP.

STUD SIZES: ($\pm .005$)

- 02 = .094 209 = .209
- 04 = .119 413 = .413
- 06 = .146
- 08 = .173
- 10 = .198
- 14 = .265
- 56 = .328
- 38 = .390



ALL DIMENSIONS = $\frac{\text{INCHES}}{\text{MM}}$

WIRE SIZE: 12-10 AWG
4.0-6.0 MM²

| PART NUMBER | "W" INCHES | "C" MIN. | "L" MAX. | AVAILABLE STUD SIZES |
|-------------|----------------------|----------------------|-----------------------|--------------------------|
| C-T-301- | $\frac{.750}{19.05}$ | $\frac{.611}{15.52}$ | $\frac{1.280}{32.51}$ | 14, 56, 38, 76, 12 |
| C-T-328- | $\frac{.375}{9.53}$ | $\frac{.303}{7.70}$ | $\frac{.785}{19.94}$ | 04, 06, 08, 10, 209 |
| C-T-330- | $\frac{.530}{13.46}$ | $\frac{.393}{9.98}$ | $\frac{.952}{24.18}$ | 10, 14, 56, 38 |
| C-T-336- | $\frac{.282}{7.16}$ | $\frac{.306}{7.77}$ | $\frac{.741}{18.82}$ | 04, 06, 08 |
| C-T-340- | $\frac{.592}{15.04}$ | $\frac{.468}{11.89}$ | $\frac{1.056}{26.82}$ | 10, 14, 56, 38, 209, 413 |

| DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED | | REFERENCE | SCALE: | NTS | DATE | TITLE: |
|---|------|-----------|------------|-----|----------|-------------|
| FRAC. | DEC. | ANG. | DRWN. BY: | JJ | 11-28-84 | RING TONGUE |
| ± | ± | ± | CHKD. BY: | GZ | 11-30-84 | TEMP-TERM: |
| | | | APPRD. BY: | | | 650°F MAX. |
| | | | | | | VERSAKRIMP |

| | | |
|----------|---|---------------|
| DWG. NO. | A | CUSTOMER DWG. |
|----------|---|---------------|

