









All information contained herein applies only to the above listed part number. Other versions of this part number with electrical or mechanical variations are available. Contact CUI Inc. for further assistance. 9615 SW Allen Blvd., Ste. 103, Beaverton OR 97005  
800-275-4899 • 503-643-4899 • Fax: 503-643-6129 • www.cui.com





All information contained herein applies only to the above listed part number. Other versions of this part number with electrical or mechanical variations are available. Contact CUI Inc. for further assistance. 9615 SW Allen Blvd., Ste. 103, Beaverton OR 97005  
800-275-4899 • 503-643-4899 • Fax: 503-643-6129 • www.cui.com



REMARKS: 00XX S

00 provides production year  
xx provides production week  
s Fu Yong

Adhesion strength of specification label (Tape peeling test)  
Firmly apply pressure sensitive adhesive tape on the middle  
of the specification label to the lengthwise direction  
Pull the tape off quickly at a 90° angle to the surface of  
the label once.

[Specification] There shall be no blistering or peeling  
of the specification label.

[Used adhesive tape] 3m #44 Tape 18 width

Thickness: 0.2mm


Material:  PVC

ALUMINIUM

BLACK WORD ON SILVER BASE

SILVER WORD ON BLACK BASE

WHITE WORD ON BLACK BASE



SPEC NO: T-406



CUI INC


PAGE NO: 4 of 4

PART NO: DPD090010-P1-SZ

UNIT: mm

DATE: 03/19/00

All information contained herein applies only to the above listed part number. Other versions of this part number with electrical or mechanical variations are available. Contact CUI Inc. for further assistance. 9615 SW Allen Blvd., Ste. 103, Beaverton OR 97005  
800-275-4899 • 503-643-4899 • Fax: 503-643-6129 • [www.cui.com](http://www.cui.com)



UNIT: mm