


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50	AC2	REVISED PER ECO-12-007334	18APR12	JR PD



- 1 CONTINUOUS STRIP ON REELS.
- △ 2 AMP STAMP.
- △ 3 TIN PLATING
- △ 4 TIN PLATING OVER COPPER UNDERPLATE.
- △ 5 REDUCED PACKAGE QUANTITY.
- △ 6 PRELIMINARY – NOT FOR PRODUCTION.

△ 5	△ 3	0.8–2.0mm ² [18–14] AWG	2.54–3.56 [.100–.140] DIA	△ 40724–2
	△ 4			△ 40724–1
	△ 3			40724
FINISH		WIRE RANGE	INSULATION RANGE	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 12FEB2001 MICHAEL S. FEHER	STE TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK 04APR2001 DONALD DECKER		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 04APR2001 DONALD DECKER	NAME	
0 PLC ± -		PRODUCT SPEC	M4 – #8 STUD, TERMINAL, TONGUE, RING	
1 PLC ± -		APPLICATION SPEC	SIZE	CAGE CODE
2 PLC ± 0.25[.010]			A2	00779
3 PLC ± -			DRAWING NO	
4 PLC ± -			C=40724	
ANGLES ± 1°			RESTRICTED TO	
MATERIAL	FINISH	WEIGHT	REV	
082 BRASS	SEE TABLE	-	AC2	
CUSTOMER DRAWING			SCALE	SHEET
			1:1	1 of 1