

ENTER DESCRIPTION EC NO: 12013-0100 DRWN:MRAMAKRI SHNA 2013/01/30 CHKD: CHIKO APPR:KPRASAD 2013/03/11 REV 1	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± ---</td> <td>±.0002</td> </tr> <tr> <td>3 PLACES</td> <td>± 0.005</td> <td>±.005</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.13</td> <td>±.01</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.25</td> <td>± ---</td> </tr> <tr> <td>0 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> </tbody> </table>		mm	INCH	4 PLACES	± ---	±.0002	3 PLACES	± 0.005	±.005	2 PLACES	± 0.13	±.01	1 PLACE	± 0.25	± ---	0 PLACE	± ---	± ---	DIMENSION STYLE MM ONLY	SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
		mm	INCH																					
	4 PLACES	± ---	±.0002																					
	3 PLACES	± 0.005	±.005																					
2 PLACES	± 0.13	±.01																						
1 PLACE	± 0.25	± ---																						
0 PLACE	± ---	± ---																						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWN BY: MRAMAKRI SHNA DATE: 2013/01/30 CHECKED BY: _____ DATE: _____	TITLE HOUSING, PLUG 2.13 DIA. SERIES																					
ANGULAR ±1/2°		APPROVED BY: KPRASAD DATE: 2013/03/11	MATERIAL NO. _____ DOCUMENT NO. _____																					
		SEE SHEET 2	SD-36643-009		SHEET NO. 1 OF 2																			

PART NO.	CIRCUIT SIZE	MATERIAL (SEE NOTE 1)	DIM. "A"	DIM. "B"	DIM. "C"
366430001	1	E	27.69	7.37	----
366430002	2	E	27.61	14.73	7.62
366430003	3	E	27.61	14.73	7.62
366430004	4	E	27.61	14.73	7.62
366430010	5	E	27.61	14.73	7.62
366430005	6	E	27.61	27.43	20.32
366430006	9	E	27.61	27.43	20.32
366430007	12	E	27.61	27.43	20.32
366430008	15	E	27.61	27.43	20.32

NOTES:

1) MATERIAL CODES:

E- NYLON 94V-2
 COLOUR:NATURAL
 GLOW WIRE COMPATIBLE WITH CTI OF 325 VOLTS,
 ACCORDING TO IEC 60335-4TH EDITION


2) UNLESS OTHERWISE INDICATED, DIMENSIONS ARE FOR REFERENCE ONLY.

3) PLUG HOUSINGS MATE WITH :
 - CAP HOUSINGS, 2.13 DIA. SERIES: SD-36644-009
 - HEAD R ASSEMBLY HOUSINGS, 2.13 DIA. SERIES: (A-42002-*****)

4) HOUSINGS DESIGNED TO BE USED WITH TERMINALS :
 - PINS, 2.13 DIA. SERIES: (42023-*****)
 - SOCKETS, 2.13 DIA. SERIES: (42024-*****)

5) CONTACTS ARE ON 6.35 GRID CENTERLINE SPACING.

6) PRODUCT SPECIFICATION PS-42022-0001 APPLIES.

ENTER DESCRIPTION EC NO: 12013-0100 DRWN:MRAMAKRISHNA 2013/01/30 CHKD: APPR:KPRASAD 2013/03/11	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
	▽=0	mm	INCH	DRAWN BY	DATE	TITLE				
	▽=0	4 PLACES ± --- ±.0002	MRAMAKRISHNA 2013/01/30		HOUSING, PLUG 2.13 DIA. SERIES					
	▽=0	3 PLACES ± 0.005 ±.005	CHECKED BY		DATE					
	2 PLACES ± 0.13 ±.01	APPROVED BY		DATE						
	1 PLACE ± 0.25 ± ---	KPRASAD		2013/03/11						
	0 PLACE ± --- ± ---	ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-36643-009		2 OF 2		
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								