





LOC		DIST		REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD		
E		REVISED PER ECO-13-010626	31JUL2013	KH	RP		



- 1 MATERIAL:
CONTACT - PHOS BRONZE
HOUSING - LCP, UL 94V-0, COLOR - BLACK
- 2 FINISH: CONTACT
MATING AREA - 0.76µm MIN GOLD OVER 1.27µm MIN NICKEL
COMPLIANT PIN AREA - 0.5µm MIN MATTE TIN OVER 1.27µm MIN NICKEL
- 3 CONNECTOR MARKED WITH PART NUMBER, DATE CODE AND STANDARD IN APPROXIMATE AREA SHOWN
- 4 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 5 CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE GR-1217-CORE, ISSUE 1, NOVEMBER 1995.
- 6 REFERENCE APPLICATION SPEC 114-13202 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.



○ = SIGNAL
 ⊗ = GROUND
 RECOMMENDED PC BOARD LAYOUT BACKPLANE, COMPONENT SIDE SHOWN
 SCALE: 6:1

1934301-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: B.MCMASHER 31MAY2007	STE TE Connectivity	
DIMENSIONS: mm		CHK: W.DAVIS 31MAY2007	NAME: HEADER ASSEMBLY, RIGHT WALL, 3 PAIR, 8 COLUMN	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: W.DAVIS 31MAY2007	PRODUCT SPEC: TinMan	
0 PLC ±		APPLICATION SPEC: -		
1 PLC ±		SIZE: A1		
2 PLC ±		CAGE CODE: 1934301		
3 PLC ±		DRAWING NO: 1934301		
4 PLC ±		SHEET 1 OF 1		
ANGLES ±		REV E		
FINISH: -2		SCALE: 8:1		
MATERIAL: -1		CUSTOMER DRAWING		