

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62201-8804](#)
Status: **Active**
Description: Impact™ 85 Ohm Backplane Press-In Tool for 5-Pair by 12-Column Assemblies

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	T3002
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	Impact™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	884982555105

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-622018804, TM-622018799



EU RoHS

**ELV and RoHS
Compliant**

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T3002Series](#)

Use With

170472 , 170475 Impact™ 85 Ohm Backplane Assembly, 5-Pair by 12 Column Assemblies

**Application Tooling
Description**

**FAQ
Product #**

Impact™ 85 Ohm Plus 5 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Open Endwalls, 12 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead Free	1704751207
Impact™ 85 Ohm Plus 5 Pair Vertical Backplane Header,	1704751208

1.90 by 1.35mm
Pitch, Unguided,
Open Endwalls,
12 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1704751228
Plus 5 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwalls,
12 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1704753257
Plus 5 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Open Endwall,
12 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Keying Orientation E,
Lead Free
Impact™ 85 Ohm 1704755207
Plus 5 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Open Endwall,
12 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1704757207
Plus 5 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide
with Endwall, 12
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1704759208
Plus 5 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide
with Endwall, 12
Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead Free

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION