

FEATURES

- User configurable sensor range: $\pm 30\text{ g}$, $\pm 60\text{ g}$, $\pm 120\text{ g}$, $\pm 240\text{ g}$, $\pm 480\text{ g}$
- Compliant with PSI5 Communication Protocol Version 1.3
 - Asynchronous operation: PSI5-A10P-250[228]/1L
 - Synchronous operation: PSI5-P10P-500/3L and others
 - Daisy-chain operation with bidirectional communication
- 10-bit sensor data
- 0.25 μs data interpolation routine
- User-selectable, continuous auto-zero operation
- Electromechanical sensor self-test
- High resistance to EMI/RFI/BCI
- 4.5 V to 16.5 V operation
- Electronic serial number
- Qualified for automotive applications

APPLICATIONS

- Front impact crash sensing
- Side impact crash sensing
- Shock and vibration detection
- Pedestrian collision sensing

GENERAL DESCRIPTION

The [ADXL185B](#) z-axis sensor and the [ADXL189B](#) x-axis sensor are g range configurable, integrated single-axis satellite sensors, compliant with the PSI5 Version 1.3 specification. The [ADXL185B/ADXL189B](#) enable low cost solutions for front and side impact airbag satellite sensor applications. Acceleration data is sent to the control module via a digital 2-wire current loop interface bus.

The sensor g range is configurable to provide full-scale ranges from $\pm 30\text{ g}$ to $\pm 480\text{ g}$. The devices can also be configured to transmit data from multiple g ranges during predefined time slots, in accordance with the PSI5 specification. The devices transmit 10-bit acceleration data to the control module and can be configured to include either a 1-bit parity check or a 3-bit cyclic redundancy check (CRC). Each device has a unique electronic serial number.

The [ADXL185B/ADXL189B](#) are available in a 16-lead, narrow-body SOIC package with an exposed pad. The [ADXL185B/ADXL189B](#) are specified to operate over the full automotive temperature range of -40°C to $+125^{\circ}\text{C}$.

FUNCTIONAL BLOCK DIAGRAM




Figure 1.

For more information about the [ADXL185B/ADXL189B](#), please contact the Analog Devices, Inc., *Customer Interaction Center* at http://www.analog.com/en/content/technical_support_page/fca.html to connect with a technical support specialist.

NOTES