





1	2	3	4	5	6	7																																																															
A																																																																					
B	 <p>RECOMMENDED P.C.B LAYOUT (TOLERANCE:±0.05)</p>																																																																				
C	<p>NOTES:</p> <ol style="list-style-type: none"> Material: <ol style="list-style-type: none"> 1.1 Housing: PBT+30%GF UL94V-0, Color White 1.2 Shell: SPCC 1.3 Contact :Phosphor Bronze FINISH: <ol style="list-style-type: none"> 2.1 Contact Area: Selective 30u"Au Solder Area: Tin Plated Under: Ni Plated <p>3.MECHANICAL:</p> <ol style="list-style-type: none"> 3.1 Mating Force:3.57kgf Max. 3.2 Unmating Force:1.02kgf Min 3.3 Durability:1500 cycles Min <p>4.ELECTRICAL:</p> <ol style="list-style-type: none"> 4.1 Current Rating:1.5A 4.2 Dielectric Strength:500V AC FOR 1 MINUTE 4.3 Contact Resistance:30mΩ Max 4.4 Insulation Resistance:1000 MΩ Min 5.Operating temperature: -55°C TO +85°C 6.PACKIING: Tray 																																																																				
D																																																																					
E																																																																					
F	<p>ROHS compliant</p>																																																																				
G	<table border="1"> <thead> <tr> <th>Scale</th> <th>Free</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>TOLERANCE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>.X</td> <td>±0.30</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>.XX</td> <td>±0.20</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>.XXX</td> <td>±0.10</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>DIM</td> <td>TOL</td> <td>①</td> <td>Add the dimension</td> <td>30.12.2016</td> <td>Winnie</td> <td></td> </tr> <tr> <td>X. °</td> <td>±5°</td> <td>②</td> <td></td> <td>22.04.2014</td> <td>Winnie</td> <td></td> </tr> <tr> <td>Angle</td> <td>TOL</td> <td>③</td> <td>Drawn</td> <td></td> <td></td> <td></td> </tr> <tr> <td>UNIT</td> <td>mm</td> <td></td> <td>Modification</td> <td>Date</td> <td>Name</td> <td></td> </tr> </tbody> </table>						Scale	Free						TOLERANCE							.X	±0.30						.XX	±0.20						.XXX	±0.10						DIM	TOL	①	Add the dimension	30.12.2016	Winnie		X. °	±5°	②		22.04.2014	Winnie		Angle	TOL	③	Drawn				UNIT	mm		Modification	Date	Name	
Scale	Free																																																																				
TOLERANCE																																																																					
.X	±0.30																																																																				
.XX	±0.20																																																																				
.XXX	±0.10																																																																				
DIM	TOL	①	Add the dimension	30.12.2016	Winnie																																																																
X. °	±5°	②		22.04.2014	Winnie																																																																
Angle	TOL	③	Drawn																																																																		
UNIT	mm		Modification	Date	Name																																																																
H	1	2	3	4	5	7																																																															
H	<table border="1"> <thead> <tr> <th>Date</th> <th>Name</th> <th>Customer-No.</th> <th>Drawing-No.</th> <th>Replace</th> <th>SHEET</th> </tr> </thead> <tbody> <tr> <td>22.04.2014</td> <td>Winnie</td> <td></td> <td>ASSMANN WSW-No. A-USB/2-A-TOP</td> <td>ASS 6346 CO</td> <td>rev01</td> </tr> <tr> <td>30.12.2016</td> <td>Winnie</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>ASSMANN WSW/ components</p>						Date	Name	Customer-No.	Drawing-No.	Replace	SHEET	22.04.2014	Winnie		ASSMANN WSW-No. A-USB/2-A-TOP	ASS 6346 CO	rev01	30.12.2016	Winnie																																																	
Date	Name	Customer-No.	Drawing-No.	Replace	SHEET																																																																
22.04.2014	Winnie		ASSMANN WSW-No. A-USB/2-A-TOP	ASS 6346 CO	rev01																																																																
30.12.2016	Winnie																																																																				
1	2	3	4	5	6	7																																																															
1	<p>SV3554</p>																																																																				