

## Type 1 Mild Steel Small Wallmount Enclosure *N1J Series*

### Hinge Door with Quarter Turn



### Application

- Designed for indoor use to house controls, instruments and components not requiring oil-tight or dust-tight protection.

### Standards

- UL-50 Type 1
- CSA Type 1
- Complies with
  - NEMA Type 1
  - IEC 60529, IP20

### Construction


- Formed and spot welded from 16 gauge steel.
- Formed steel covers close by use of slotted quarter turn latch.
- Full swing door using butt hinges.
- Through holes in back for wall mounting.
- Bonding stud is provided on the door and a grounding stud is provided on the box.
- Includes 14 gauge steel inner panel.

### Finish

- Enclosure and cover are finished in ANSI 61 gray powder coating.
- Inner panel is finished in white powder coating

### Accessories

- Perforated Panels for N1J Series Enclosures
- Type 1 Lock Kit



Part No.	Overall Dimensions			Panel Size		Centers			Ship Wt.
	A	B	C	D	E	F	G	H	lbs.
<b>N1J664</b>	6.00	6.00	4.00	4.25	4.25	3.00	5.00	3.43	5
<b>N1J864</b>	8.00	6.00	4.00	6.25	4.25	5.00	5.00	3.43	6
<b>N1J884</b>	8.00	8.00	4.00	6.25	6.25	5.00	7.00	3.43	7
<b>N1J1084</b>	10.00	8.00	4.00	8.25	6.25	7.00	7.00	3.43	8
<b>N1J10104</b>	10.00	10.00	4.00	8.25	8.25	7.00	9.00	3.43	9
<b>N1J12104</b>	12.00	10.00	4.00	10.25	8.25	9.00	9.00	3.43	11
<b>N1J12124</b>	12.00	12.00	4.00	10.25	10.25	9.00	11.00	3.43	13
<b>N1J14124</b>	14.00	12.00	4.00	12.25	10.25	11.00	11.00	3.43	14
<b>N1J886</b>	8.00	8.00	6.00	6.25	6.25	5.00	7.00	5.43	7
<b>N1J1086</b>	10.00	8.00	6.00	8.25	6.25	7.00	7.00	5.43	10
<b>N1J10106</b>	10.00	10.00	6.00	8.25	8.25	7.00	9.00	5.43	11
<b>N1J12106</b>	12.00	10.00	6.00	10.25	8.25	9.00	9.00	5.43	12
<b>N1J12126</b>	12.00	12.00	6.00	10.25	10.25	9.00	11.00	5.43	15
<b>N1J14126</b>	14.00	12.00	6.00	12.25	10.25	11.00	11.00	5.43	16
<b>N1J16126</b>	16.00	12.00	6.00	14.25	10.25	13.00	11.00	5.43	16
<b>N1J20126</b>	20.00	12.00	6.00	18.25	10.25	17.00	11.00	5.43	22
<b>N1J12128</b>	12.00	12.00	8.00	10.25	10.25	9.00	11.00	7.43	17
<b>N1J14128</b>	14.00	12.00	8.00	12.25	10.25	11.00	11.00	7.43	18

*Data subject to change without notice*