

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.



LOC	DIST	REVISIONS					
FT	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			A2	REVISED PER ECO-11-004917	11MAR11	RK	HMR

MATERIAL:
 HOUSING: NYLON, UL94V-0, BLACK.
 TERMINALS: BRASS, BRIGHT TIN PLATED.
 SCREWS: 6-32, STEEL, ZINC CHROMATE FINISH.

ELECTRICAL:
 MAXIMUM CURRENT: 20A
 OPERATING VOLTAGE: 600V
 WIRE RANGE: 12-22 AWG

ENVIRONMENT:
 OPERATING TEMP.: -60°C TO +105°C

- ① MARKED WITH WHITE INK APPROX AS SHOWN.
- ② OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



DIM A	NO. OF POS.	CATALOG NUMBER	PART NUMBER
11.937	27	SSB7FP270102	2-1546973-7
11.500	26	SSB7FP260102	2-1546973-6
11.062	25	SSB7FP250102	2-1546973-5
10.625	24	SSB7FP240102	2-1546973-4
10.187	23	SSB7FP230102	2-1546973-3
9.750	22	SSB7FP220102	2-1546973-2
9.312	21	SSB7FP210102	2-1546973-1
8.875	20	SSB7FP200102	2-1546973-0
8.437	19	SSB7FP190102	1-1546973-9
8.000	18	SSB7FP180102	1-1546973-8
7.562	17	SSB7FP170102	1-1546973-7
7.125	16	SSB7FP160102	1-1546973-6
6.687	15	SSB7FP150102	1-1546973-5
6.250	14	SSB7FP140102	4-1437416-4
5.812	13	SSB7FP130102	1-1546973-3
5.375	12	SSB7FP120102	1-1546973-2
4.937	11	SSB7FP110102	1-1546973-1
4.500	10	SSB7FP100102	1-1546973-0
4.062	9	SSB7FP090102	1546973-9
3.625	8	SSB7FP080102	1546973-8
3.187	7	SSB7FP070102	1546973-7
2.750	6	SSB7FP060102	1546973-6
2.312	5	SSB7FP050102	1546973-5
1.875	4	SSB7FP04010211	9-796602-1
1.875	4	SSB7FP040102	9-796602-0
1.437	3	SSB7FP030102	1546973-3
1.000	2	SSB7FP020102	1546973-2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	S SCHL GEL	3/3/04	TE Connectivity NAME SSB7FPXX0102				
CHK	S YODER	3/3/04					
APVD	S YODER	3/3/04					
PRODUCT SPEC							
APPLICATION SPEC			SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
			A3	00779	C-9-796602-0		
MATERIAL			CUSTOMER DRAWING		SCALE	SHEET	REV
					NTS	1 OF 1	A2