


NOTES 1: If there are pattern and a bia hole on part, there is a possibility that it will make contact with the leads.
 2: Lead co-planality include reinforced metal fittings shall be 0.1mm MAX.

Part No.	Number of contacts	Code No.	A	B	C
DF 13EA-10DP-1.25V(55)	10	CL536-0570-0-55	12.1	5.0	8.7
DF 13EA-20DP-1.25V(55)	20	CL536-0571-0-55	18.35	11.25	14.95
DF 13EA-30DP-1.25V(55)	30	CL536-0572-0-55	24.60	17.50	21.20
DF 13EA-40DP-1.25V(55)	40	CL536-0573-0-55	30.85	23.75	27.45

NO.	MATERIAL	FINISH	REMARKS	NO.	MATERIAL	FINISH	REMARKS
2	Brass		Contact area:Gold plated 0.2μm MIN Lead area:Tin-copper plated 1μm MIN Under plating:Nickel 1μm MIN	5	S. PVC		Gray
1	Polyamide		Beige,UL94V-0	4	R. PVC		Electrostatic protection
				3	Phosphor bronze		Tin plated 1μm MIN

UNITS	SCALE	COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
mm	5 : 1	1	DIS-H-00002149	MI. SAKIMURA	TS. FUKUSHIMA	16.09.26

APPROVED	CHECKED	DESIGNED	DRAWN	DRAWING NO.	PART NO.	CODE NO.
•KI. AKIYAMA	•TS. FUKUSHIMA	•MI. SAKIMURA	•MI. SAKIMURA	EDC-367982-55-00	DF13EA-*DP-1.25V(55)	CL536-
16.03.31	16.03.29	16.03.29	16.03.29			



Part No.	Code No.	Number of connectors
DF13EA-10DP-1.25V(55)	CL536-0570-0-55	40
DF13EA-20DP-1.25V(55)	CL536-0571-0-55	26
DF13EA-30DP-1.25V(55)	CL536-0572-0-55	19
DF13EA-40DP-1.25V(55)	CL536-0573-0-55	15

Notes 3 : The tube has one stopper at each end.
 4 : Minimum unit of purchase shall be the quantity of connectors in tube.

HRS	DRAWING NO.	EDC-367982-55-00	
	PART NO.	DF13EA-*DP-1.25V(55)	
	CODE NO.	CL536-	2/2