


S

1. PARTS COMPLY WITH AMP SOLDERABILITY SPEC. 109-113
 △ CONTACT IS PLATED OVERALL WITH .00050 NICKEL, THEN .00050 GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN ON SOLDER TAIL END.



350214 - 2	NYLON	NATURAL COPPER ALLOY	△ GOLD
350214 - 1	NYLON	NATURAL COPPER ALLOY	PRE-TIN
ASSEMBLY NO.	HSG. MATL.	COLOR	PIN MATL. FINISH

DIMENSIONS IN INCHES. DO NOT SCALE PRINT.

350214	REV. 11/68	DATE	BY	CHKD.	APP'D.
P	085 1-1 + 2-1	TB	RS	3/20/73	
PER	CM 2213				
REV	REVISION RECORD	OR	CHG.	DATE	

REQUIRED PER ASSEMBLY	NUMBER	NAME	REMARKS	ITEM NO.
DESCRIPTION	© 1973 BY AMP INCORPORATED. ALL RIGHTS RESERVED. AMP PRODUCTS COVERED BY PATENTS AND/OR PATENTS PENDING.		CUSTOMER COPY REFERENCE ONLY	
	OR <i>[Signature]</i> 3/20/73	MATERIAL AND FINISH	AMP INCORPORATED HARRISBURG, PENNA.	
	CHK <i>[Signature]</i> 3/20/73	SEE TABLE	CLASS	
	BY <i>[Signature]</i> 4-8-73	WIRE - RANGE - INSULATION	TYPE <i>PIN HEADER</i>	
	DATE <i>Jul 14 1973</i>	TOLERANCE EXCEPT AS NOTED	SCALE <i>1/2"</i>	LOC <i>CM B</i>
		NAME <i>16 CIRCUIT MATE-N-LOK P.C. BOARD HEADER</i>	NO. <i>350214</i>	REV. <i>P</i>

